



Envirotech Accent Dimout Prime Blind Fabric

“Intelligent Blind Fabrics, Protecting You and The Environment.”

The weaving process of this flame-retardant composition ensures the fabric has a distinguished and stylish look. Perfect for areas where privacy is needed with first-rate light shading and resistance to ignition.

With 40 colours and an ample range of fabric widths available, this fabric comes with a full Biosafe® accreditation which is the international accreditation standard of our proven antimicrobial formula that has been tested under the most stringent measures to ensure effective inhibiting of infection.





Accent Dimout Prime Fire Retardant and Anti-Microbial

Presenting 40 colours and a convenient range of fabric widths available, this Flame Retardant and Biosafe® anti-microbial, dimout fabric is designed with the commercial, educational and healthcare environments in mind.

The perfect product for areas where privacy is needed as well as sufficient light shading. The potential applications for this fabric stretch the imagination.



Fabric Composition:	100% Polyester
Fabric Range:	40
Louvre Widths:	89mm (3.5") / 127mm
Vertical Roll Length:	100m
Roller Fabric Width:	2000mm / 2500mm / 3000mm
Roller Fabric Length:	30m
Fabric Thickness:	0.3mm
Fabric Weight:	220 g/m2
Fire Retardancy:	BS5867, Part 2: Type B, 2008
Shading:	Dimout
Moisture Resistance:	Suitable for moist conditions
Anti-Bacterial:	Incorporates Biosafe® formula



More fabric colours and
data tables overleaf...

Accent Dimout Prime

Fire Retardant and Anti-Microbial

89 – 3000 mm	HT %	LT %	UP %	LA %	HR %	LR %	SC	GTOT
Vanilla	13	10	90	13	73	77	0.35	0.29
Tan *	9	1	100	34	56	42	0.44	0.37
Linen *	12	7	100	18	70	71	0.36	0.30
Stone *	6	3	100	47	48	50	0.48	0.41
Sandstone *	13	9	100	16	71	74	0.36	0.30
Warm Almond	12	8	90	16	71	73	0.35	0.30
Rose *	13	6	100	33	67	61	0.39	0.33
Dusty Pink *	11	3	100	45	63	52	0.41	0.35
Smokey Mauve *	9	1	100	67	51	32	0.47	0.40
Chocolate *	1	0	100	87	14	13	0.68	0.58
Pink *	12	2	100	74	54	24	0.46	0.39
Lilac *	11	2	100	61	58	37	0.44	0.37
Heather *	9	1	100	31	60	43	0.41	0.35
Plum *	9	0	100	90	44	10	0.52	0.44
Tangerine *	11	2	100	72	51	26	0.48	0.41
Scarlet *	7	1	100	84	41	15	0.53	0.45
Cherry *	4	<1	100	62	34	16	0.56	0.47
Berry *	2	0	100	91	23	9	0.62	0.53
Apple *	4	1	100	54	42	42	0.52	0.44
Primrose *	13	9	100	18	68	73	0.38	0.32



HT % : Heat Transmittance
 LT % : Light Transmittance
 UP % : Ultraviolet Protection
 LA % : Light Absorption
 HR % : Heat Reflection
 LR % : Light Reflection
 SC : Shading Co-Efficiency
 GTOT : Total Value of Solar Energy

* Wider fabrics available on request –
 2500mm – 3000mm

Accent Dimout Prime

Fire Retardant and Anti-Microbial

89 – 3000 mm	HT %	LT %	UP %	LA %	HR %	LR %	SC	GTOT
Sunshine *	12	5	100	38	59	57	0.44	0.37
Mustard *	11	11	100	23	66	66	0.54	0.39
Marsh *	9	1	100	76	43	23	0.52	0.44
Lawn *	<1	<1	100	80	20	19	0.64	0.54
Pine Green *	8	0	100	86	37	14	0.55	0.47
Turquoise *	8	1	100	71	46	28	0.51	0.43
Aqua *	9	1	100	70	47	29	0.49	0.42
Mist	5	3	100	41	54	56	0.44	0.38
Surf *	11	4	100	26	63	55	0.40	0.34
Marine *	1	<1	100	70	28	19	0.59	0.50
Cobalt *	6	0	100	59	35	10	0.56	0.47
Dark Azure	0	0	100	89	11	7	0.69	0.59
Sesame	13	12	100	10	77	82	0.32	0.28
Frost	14	12	100	9	78	84	0.32	0.27
Ash	11	3	100	45	61	52	0.42	0.36
Stone Grey	2	1	100	56	41	42	0.51	0.44
Fossil Grey	<1	1	100	23	27	28	0.71	0.61
Graphite	<1	0	100	82	18	19	0.65	0.55
Steel	0	0	100	89	11	12	0.69	0.59
Coal	0	0	100	94	6	6	0.72	0.61



HT % : Heat Transmittance
 LT % : Light Transmittance
 UP % : Ultraviolet Protection
 LA % : Light Absorption
 HR % : Heat Reflection
 LR % : Light Reflection
 SC : Shading Co-Efficiency
 GTOT : Total Value of Solar Energy

* Wider fabrics available on request –
 2500mm – 3000mm